

> Telephone: 001-604-278-5851 Fax: 001-604-278-5871

UV/LED Luxio Gels

Product code(s): Luxio Gloss Gel; Luxio Base Gel; Luxio Colours

Page 1 of 13

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAK

1.1 Product identifier : UV/LED Luxio Gels

SDS Preparation Date (dd/mm/yyyy): 15/12/2011

Product Code(s) : Luxio Gloss Gel; Luxio Base Gel; Luxio Colours

1.2 Relevant identified uses of the substance or mixture and uses advised against

: Cosmetic nail gel. Use pattern: Consumers.

1.3 Details of the supplier of the safety data sheet:

Haigh Industries Inc.

#5 – 8118 North Fraser Way Burnaby, British Columbia, Canada V5J 0E5

Email: contact.info@akzentz.com

Telephone : 001-604-278-5851

1.4 Emergency Telephone Number

: 001-352-323-3500 (INFOTRAC - Contract # 103390)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Viscous liquid of various colours. Acrylic odour.

Most important hazards: The preparation is classified as dangerous in accordance with Directive 1999/45/EC.

All Luxio products have the following classification according to Directive 1999/45/EC:

Xi - Irritant

R36/37/38 - Irritating to eyes, respiratory system and skin.

R43 - May cause sensitization by skin contact.

2.2 Label elements



Irritant

This product is subject to the EEC Directive for Cosmetics, 76/768/EEC, and its National implementations in the European Union. Refer to these regulations for Ingredient disclosure requirements on the label.

R36/37/38 - Irritating to eyes, respiratory system and skin.

R43 - May cause sensitization by skin contact.

S 2 - Keep out of the reach of children.

S24/25 - Avoid contact with skin and eyes.

S37 - Wear suitable gloves.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S46 - If swallowed, seek medical advice immediately and show this container or label.

S35 - This material and its container must be disposed of in a safe way.



Telephone: 001-604-278-5851 Fax: 001-604-278-5871

UV/LED Luxio Gels

Product code(s): Luxio Gloss Gel; Luxio Base Gel; Luxio Colours

SDS Preparation Date (dd/mm/yyyy): 15/12/2011

Page 2 of 13

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

2.3 Other hazards

Other hazards which do not result in classification:

May polymerize when heated or on contact with incompatible materials. Freezing may cause depletion of inhibitor increasing the risk of polymerization. Burning produces obnoxious and toxic fumes. Prolonged or repeated overexposure could cause adverse liver effects. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Environmental precautions:

Avoid release to the environment. See ECOLOGICAL INFORMATION, Section 12. The product should not be allowed to enter drains, water courses or the soil.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical nature of the preparation: Mixture - Acrylates; Ketones; Pigments.

The following substances shall be indicated according to legislation:

Chemical name	CAS#	EC No.	Concentration	EU Classification	
All Luxio products contain	the following c	hemicals:			
Di-HEMA Trimethylhexyl dicarbamate	Proprietary	Polymer	40.0 - 70.0	Xi - Irritant; R36/37/38 - R43 (self classified)	
2-Hydroxyethyl methacrylate (HEMA)	868-77-9	212-782-2	10.0 - 20.0	Xi - Irritant; R36/38 - R43	
Hydroxypropyl methacrylate (HPMA)	27813-02-1	248-666-3	10.0 - 30.0	Xi - Irritant; R36 - R43 (self classified)	
Hydroxycyclohexyl phenyl ketone	947-19-3	213-426-9	1.0 - 3.0	Xi - Irritant; R36 (self classified)	
Trimethylbenzoyl diphenylphosphine oxide	75980-60-8	278-355-8	1.0 - 3.0	R52-53 Xn - Harmful Repr.Cat.3;R62 (self classified)	
	Gold Effects/Leg	gend/Noir/Pink [°] Eff		Luxio Colours - Captive/Current/Diva/ ure/Purple Effects/Romance/Silver Effec	
Iron oxide	1309-37-1	215-168-2	< 1.5%	None assigned. Substances for which there are Community workplace exposure limits.	
All Luxio products, with the	e exception of L				
All Luxio products, with the	e exception of L			Community workplace exposure limits.	
All Luxio products, with the Noir, also contain the follow Titanium dioxide	e exception of L wing chemical: 13463-67-7 e exception of L	236-675-5 uxio Base Gel, Lu	vixio Gloss Gel an < 10.0% vixio Gloss Gel an	Community workplace exposure limits. d Luxio Colours - Allure/Diva/ Electric / None assigned. Substances for which there are	



Telephone: 001-604-278-5851 Fax: 001-604-278-5871

UV/LED Luxio Gels SDS Preparation Date (dd/mm/yyyy): 15/12/2011 Product code(s): Luxio Gloss Gel; Luxio Base Gel; Luxio Colours

Page 3 of 13

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Luxio Colours - Anticip Effects also contain the			fects/Inspire/M	ystical/Pink Effects/Purple Effects/Silver
Silica	7631-86-9	231-545-4	< 0.5%	None assigned. Substances for which there are Community workplace exposure limits.
Luxio Colours - Cherisl chemical:	h/Cremelle/Discretion	on/Fantasy/Galaxy	/Glam/Inspire/N	lystical also contain the following
Mica	12001-26-2	This chemical may be grouped under the name 'Naturally occurring substances' with the following EINECs number: 310-127-6	< 1.5%	None assigned. Substances for which there are Community workplace exposure limits.
Luxio Colours - Noir als	so contains the follo	owing chemical:		
Black 2 (Cl 77266)	1333-86-4	215-609-9	< 0.5%	None assigned. Substances for which there are Community workplace exposure limits.
Luxio Colours - Pink Ef	fects also contains	the following cher	mical:	
Tin Oxide	18282-10-5	242-159-0	< 0.1%	None assigned. Substances for which there are Community workplace exposure limits.
				I .

Note: Refer to Section 16 for additional ingredients present in these products.

For the full text of the R phrases mentioned in this section, see Section 2 or 16.

SECTION 4. FIRST-AID MEASURES

4.1 Description of first aid measures

Ingestion
 Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label. Never give anything by mouth to an unconscious person.
 Inhalation
 If breathed in, move person into fresh air. If breathing is irregular or stopped, administer artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. When symptoms persist or in all cases of doubt seek medical advice.
 Skin contact
 Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Obtain medical advice.
 Eye contact
 In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Irritating to eyes, respiratory system and skin.
 May cause sensitization by skin contact.
 Prolonged or repeated overexposure could cause adverse liver effects.
 Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3 Indication of any immediate medical attention and special treatment needed

: Treat symptomatically.



> Telephone: 001-604-278-5851 Fax: 001-604-278-5871

UV/LED Luxio Gels

Product code(s): Luxio Gloss Gel; Luxio Base Gel; Luxio Colours

SDS Preparation Date (dd/mm/yyyy): 15/12/2011

Page 4 of 13

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

: Carbon dioxide (CO2); Dry chemical; Alcohol-resistant foam; water fog.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

: May polymerize when heated or on contact with incompatible materials. Fire or intense heat may cause violent rupture of packages. Freezing may cause depletion of inhibitor increasing the risk of polymerization. The pressure in sealed containers can increase under the influence of heat. Burning produces obnoxious and toxic fumes. In the event of fire the following can be released: formaldehyde; Carbon oxides; Nitrogen oxides (NOx); Metal oxides; Methacrylic acid; Methacrolein; Propene; Other unidentified organic compounds.

5.3 Advice for firefighters

Protective equipment for fire-fighters

: Wear self-contained breathing apparatus and protective suit. Fight fire with normal precautions from a reasonable distance.

Special fire-fighting procedures

: Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

: Wear suitable protective equipment. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions : Do not allow material to contaminate ground water system. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

6.3 Methods and material for containment and cleaning up

: Ventilate the area. Prevent further leakage or spillage if safe to do so. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean with detergents. Avoid solvents. Do not flush into surface water or sanitary sewer system. Pick up and transfer to properly labelled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Contact the proper local authorities.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8. Refer to Section 13 for disposal of contaminated material.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

: Persons with recurrent skin eczema or sensitization problems should be excluded from working with this product. Once a person is sensitized, no further exposure to the material that caused the sensitization should be permitted. Wear suitable protective equipment. Use only in well-ventilated areas. Avoid breathing vapours. Avoid contact with skin, eyes and clothing. Avoid strong oxidizers. Keep away from incompatibles. Keep away from heat and flame. Keep containers closed when not in use. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Wash thoroughly after handling.



Telephone: 001-604-278-5851 Fax: 001-604-278-5871

UV/LED Luxio Gels

Product code(s): Luxio Gloss Gel; Luxio Base Gel; Luxio Colours

SDS Preparation Date (dd/mm/yyyy): 15/12/2011

Page 5 of 13

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

7.2 Conditions for safe storage, including any incompatibilities

: Store in cool/well-ventilated place. Inspect periodically for damage or leaks. Protect from sunlight. Store away from heat. Store in a place accessible by authorized persons only. Do not freeze. Recommended storage temperature: 1 - 30°C.

7.3 Specific end use(s) : Cosmetics

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters

Chemical Name	Exposure Limits	<u>Type</u>	Notes
2-Hydroxyethyl methacryl	ate (HEMA)		
	Lithuania: 20 mg/m³ (TWA)	European Union (OEL)	None.
	2 ppm (11 mg/m³) (TWA) 4 ppm (16.5 mg/m³) (STEL)	Hungary (OEL)	None.
Black 2 (Cl 77266)			
	3.5 mg/m³ (TWA)	France (OEL)	None.
	3.5 mg/m³ (TWA) 7 mg/m³ (STEL)	Greece (OEL)	None.
	4.0 mg/m³ (total inhalable dust) (TWA)	Poland (OEL)	None.
	3.5 mg/m³ (TWA)	Spain (OEL)	None.
	3.5 mg/m³ (TWA) 7 mg/m³ (STEL)	The United Kingdom (WELs)	None.
Di-HEMA Trimethylhexyl o	licarbamate		
	None known.	European Union (OEL)	None.
Hydroxycyclohexyl pheny	l ketone		
	None known.	European Union (OEL)	None.
Hydroxypropyl methacryla	ate (HPMA)		
	None known.	European Union (OEL)	None.
Iron oxide			
	5 mg/m³ (fumes) (TWA)	France (OEL)	(as Fe)
	10 mg/m³ (TWA) 10 mg/m³ (STEL)	Greece (OEL)	(as Fe)
	5 mg/m³ (Fumes) (TWA) 10 mg/m³ (Fumes) (STEL)	Poland (OEL)	(as Fe)
	5 mg/m³ (dust and fume) (TWA)	Spain (OEL)	(as Fe)
	10 (total inhalable); 4 mg/m³ (respirable dust) (TWA)	The United Kingdom (WELs)	(as Rouge)
	30 mg/m³ (total inhalable); 12 mg/m³ (respirable dust) (STEL)		



Telephone: 001-604-278-5851 Fax: 001-604-278-5871

UV/LED Luxio Gels SDS Preparation Date (dd/mm/yyyy): 15/12/2011 Product code(s): Luxio Gloss Gel; Luxio Base Gel; Luxio Colours

Page 6 of 13

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Methylpyrrolidone	10 ppm (40 mg/m³) (TWA) 20 ppm (80 mg/m³) (STEL)	European Union (OEL)	Possibility of significant uptake through the skin
	10 ppm (40 mg/m³) (TWA) 20 ppm (80 mg/m³) (STEL)	France (OEL)	Risk of cutaneous absorption
	20 ppm (82 mg/m³) (exposure factor 2, vapor) (TWA)	Germany (OEL)	Skin notation
	100 ppm (400 mg/m³) (TWA)	Greece (OEL)	None.
	120 mg/m³ (TWA) 240 mg/m³ (STEL)	Poland (OEL)	Skin notation
	25 ppm (103 mg/m³) (TWA) 75 ppm (309 mg/m³) (STEL)	Spain (OEL)	Skin - Potential for cutaneous absorption
	25 ppm (103 mg/m³) (TWA) 75 ppm (309 mg/m³) (STEL)	The United Kingdom (WELs)	Potential for cutaneous absorption
Mica	10 mg/m3 (inholoble) (TMA)	Austria (OEL)	None
	10 mg/m³ (inhalable) (TWA)	Austria (OEL)	None.
	3 mg/m³ (respirable dust) (TWA)	Portugal (OEL)	None.
	3 mg/m³ (respirable dust) (TWA)	Spain (OEL)	None.
	10 mg/m³ (total inhalable); 0.8 mg/m³ (respirable dust) (TWA)	The United Kingdom (WELs))	None.
	30 mg/m³ (total inhalable); 2.4 mg/m³ (respirable dust) (STEL)		
Silica			
	4 mg/m³ (inhalable); 0.3 mg/m³ (respirable dust) (TWA)	Austria (OEL)	None.
	4 mg/m³ (inhalable) (TWA)	Germany (OEL)	None.
	6 mg/m³ (inhalable); 2.4 mg/m³ (respirable dust) (TWA)	The United Kingdom (WELs)	None.
	18 mg/m³ (inhalable); 7.2 mg/m³ (respirable dust) (STEL)		
Tin Oxide			
	2 mg/m³ (as Sn) (TWA)	Belgium (OEL)	Skin
	2 mg/m³ (TWA)	Finland (OEL)	(as Sn)
	2 mg/m³ (TWA)	Spain (OEL)	(as Sn)
Titanium dioxide			
	10 mg/m³ (TWA)	France (OEL)	None.
	10 mg/m³ (inhalable); 5 mg/m³ (respirable dust) (TWA)	Greece (OEL)	None.
	10 mg/m³ (inhalable) (TWA)	Poland (OEL)	None.
	10 mg/m³ (TWA)	Spain (OEL)	None.



Telephone: 001-604-278-5851 Fax: 001-604-278-5871

UV/LED Luxio Gels

Product code(s): Luxio Gloss Gel; Luxio Base Gel; Luxio Colours

SDS Preparation Date (dd/mm/yyyy): 15/12/2011

Page 7 of 13

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

	10 mg/m³ (inhalable); 4 mg/m³ (respirable dust) (TWA) 30 mg/m³ (inhalable); 12 mg/m³ (respirable dust) (STEL)	The United Kingdom (WELs)	None.
Trimethylbenzoyl diphenyl	phosphine oxide		
	None known.	European Union (OEL)	None.

8.2 Exposure controls

Ventilation and engineering measures

: Use only in well-ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear

suitable respiratory equipment.

Respiratory protection : In the case of vapour formation use a respirator with an approved filter. The filter class for

the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Skin protection : Wear protective gloves. The suitability for a specific workplace should be discussed with the

producers of the protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/689/EEC and the standard EN 374 derived from it.

Eye / face protection : If splashing is anticipated, splash goggles and a faceshield are recommended. Do not wear

contact lenses. See also EN 166.

Other protective equipment : Wear sufficient clothing to prevent skin contact. Ensure that eyewash stations and safety

showers are close to the workstation location.

General hygiene considerations

: Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after

handling. Remove and wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid of various colours

Odour : Acrylic odour.

Odour threshold : No information available.

pH : Not applicable.

Flash point : > 77°C

Flashpoint (Method) : Tag closed cup

Lower flammable limit (% by vol.)

No information available.

Upper flammable limit (% by vol.)

: No information available.

Flammability (solid, gas) : Not applicable.

Auto-ignition temperature : No information available.

Decomposition temperature : No information available.

Oxidizing properties : None known.

Explosive properties: Not explosive. Not expected to be sensitive to mechanical impact or static discharge.

Initial boiling point and boiling range

: No information available.



Telephone: 001-604-278-5851 Fax: 001-604-278-5871

UV/LED Luxio Gels

Product code(s): Luxio Gloss Gel; Luxio Base Gel; Luxio Colours

SDS Preparation Date (dd/mm/yyyy): 15/12/2011

Page 8 of 13

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Melting/Freezing point: No information available.

Relative density : 1.15 @ 25°C Solubility in water : negligible

Other solubility(ies): No information available.Vapour pressure: No information available.Vapour density: No information available.

Partition coefficient: n-octanol/water

: No information available.

Viscosity : No information available.

Evaporation rate (BuAe = 1) : No information available.

9.2 Other Information

Volatiles (% by weight) : No information available.

Volatile organic Compounds (VOC's)

: No information available.

Other physical/chemical comments

: No additional information.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity : Product becomes reactive if inhibitor becomes depleted. Freezing may cause depletion of

inhibitor increasing the risk of polymerization.

10.2 Chemical stability : Stable under normal conditions.

10.3 Possibility of hazardous reactions

: May polymerize when heated or on contact with incompatible materials.

10.4 Conditions to avoid : Direct sources of heat. Keep away from direct sunlight. Do not freeze. Do not use in areas

without adequate ventilation.

10.5 Incompatible materials : Oxidizing materials; Amines; Polymerization initiators; Inert gases; Copper; Brass; Mild

steel; Ultraviolet light (e.g. sunlight).

10.6 Hazardous decomposition products

: Burning produces obnoxious and toxic fumes. In the event of fire the following can be released: formaldehyde; Carbon oxides; Nitrogen oxides (NOx) Metal oxides; Methacrylic

acid; Methacrolein; Propene; Other unidentified organic compounds .

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological effects:

Acute toxicity : According to the classification criteria of the European Union, this product is not considered

as being an acutely toxic chemical.

Irritation : The product is classified as dangerous in accordance with Directive 1999/45/EC.

Classification:

Xi - Irritant. Irritating to eyes, respiratory system and skin.

Corrosivity : According to the classification criteria of the European Union, this product is not considered

as being a corrosive material.

Sensitisation : According to the classification criteria of the European Union, this product is not considered

as being an allergic respiratory sensitiser.

The product is classified as dangerous in accordance with Directive 1999/45/EC.

Classification:

Xi - Irritant. May cause sensitization by skin contact. May cause severe skin sensitization

with allergic contact dermatitis symptoms such as swelling, rash and eczema.

Mutagenicity: Contains no ingredient listed as a mutagen.Carcinogenicity: Contains no ingredient listed as a carcinogen



Telephone: 001-604-278-5851 Fax: 001-604-278-5871

UV/LED Luxio Gels SDS Preparation Date (dd/mm/yyyy): 15/12/2011 Product code(s): Luxio Gloss Gel; Luxio Base Gel; Luxio Colours

Page 9 of 13

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Reproductive toxicity : According to the classification criteria of the UN's Globally Harmonized System of

Classification and Labelling of Chemicals (GHS), this product is not considered as being toxic to reproduction. This product does contain chemicals that are suspected of causing reproductive toxicity. However, due to the low concentration of these chemicals, this

product is not classified as a whole as toxic to reproduction...

Repeated dose toxicity : According to the classification criteria of the European Union, this product is not expected to

cause target organ toxicity through repeated doses.

Toxicological data : There is no available data for the product itself, only for the ingredients. See below for

individual ingredient acute toxicity data.

	LC50(4hr)	LD50		
Chemical name	inh, rat	(Oral, rat)	(Rabbit, dermal)	
All Luxio products contain	the following chemicals:		-	
Di-HEMA Trimethylhexyl dicarbamate	No information available.	> 5000 mg/kg	No information available.	
2-Hydroxyethyl methacrylate (HEMA)	No information available.	> 4000 mg/kg	> 3000 mg/kg	
Hydroxypropyl methacrylate (HPMA)	No information available.	11200 mg/kg	> 3000 mg/kg	
Hydroxycyclohexyl phenyl ketone	No information available.	2895 mg/kg	No information available.	
Trimethylbenzoyl diphenylphosphine oxide	No information available.	> 5000 mg/kg	No information available.	
	e exception of Luxio Base Gel	, Luxio Gloss Gel and Lu	ixio Colours - Allure/	
	ession/Glam/Gold Effects/Lege ects/Swan/Vintage/Vixen, also			
		, Luxio Gloss Gel and Lu	ıxio Colours - Allure/	
Diva/Electric/Noir, also con	ntain the following chemical:			
Titanium dioxide	> 6820 mg/m³	> 25,000 mg/kg	> 10,000 mg/kg	
	e exception of Luxio Base Gel		ixio Colours - Gold	
Effects/Pink Effects/Purple	Effects/Silver Effects, also co	ntain the following chen	nical:	
Effects/Pink Effects/Purple Methylpyrrolidone	Effects/Silver Effects, also co No information available.	ontain the following chen 3906 mg/kg	nical: 5000 - 10,000 mg/kg	
Methylpyrrolidone Luxio Colours - Anticipatio	No information available. n/Captive/Fantasy/Galaxy/Gol	3906 mg/kg d Effects/Inspire/Mystica	5000 - 10,000 mg/kg	
Methylpyrrolidone Luxio Colours - Anticipatio	No information available.	3906 mg/kg d Effects/Inspire/Mystica	5000 - 10,000 mg/kg	
Methylpyrrolidone Luxio Colours - Anticipatio Effects/Silver Effects also o Silica Luxio Colours - Cherish/Cr	No information available. n/Captive/Fantasy/Galaxy/Gol contain the following chemica	3906 mg/kg d Effects/Inspire/Mystica I: 3160 mg/kg	5000 - 10,000 mg/kg al/Pink Effects/Purple No information available.	
Methylpyrrolidone Luxio Colours - Anticipatio Effects/Silver Effects also o Silica	No information available. n/Captive/Fantasy/Galaxy/Gol contain the following chemica No information available.	3906 mg/kg d Effects/Inspire/Mystica I: 3160 mg/kg	5000 - 10,000 mg/kg al/Pink Effects/Purple No information available. al also contain the	
Methylpyrrolidone Luxio Colours - Anticipatio Effects/Silver Effects also o Silica Luxio Colours - Cherish/Cr following chemical: Mica	No information available. In/Captive/Fantasy/Galaxy/Golcontain the following chemica No information available. In/Captive/Fantasy/Galaxy/Gal	3906 mg/kg d Effects/Inspire/Mystical: 3160 mg/kg axy/Glam/Inspire/Mystical No information available.	5000 - 10,000 mg/kg al/Pink Effects/Purple No information available. al also contain the	
Methylpyrrolidone Luxio Colours - Anticipatio Effects/Silver Effects also o Silica Luxio Colours - Cherish/Cr ollowing chemical: Mica	No information available. on/Captive/Fantasy/Galaxy/Gol contain the following chemica No information available. emelle/Discretion/Fantasy/Gal	3906 mg/kg d Effects/Inspire/Mystical: 3160 mg/kg axy/Glam/Inspire/Mystical No information available.	5000 - 10,000 mg/kg al/Pink Effects/Purple No information available. al also contain the	
Methylpyrrolidone Luxio Colours - Anticipatio Effects/Silver Effects also o Silica Luxio Colours - Cherish/Cr ollowing chemical: Mica Luxio Colours - Noir also c Black 2 (Cl 77266)	No information available. on/Captive/Fantasy/Galaxy/Gol contain the following chemica No information available. remelle/Discretion/Fantasy/Gal No information available. ontains the following chemica	3906 mg/kg d Effects/Inspire/Mystical: 3160 mg/kg laxy/Glam/Inspire/Mystical No information available. al: > 15,400 mg/kg	5000 - 10,000 mg/kg al/Pink Effects/Purple No information available. al also contain the No information available.	



Telephone: 001-604-278-5851 Fax: 001-604-278-5871

UV/LED Luxio Gels

Product code(s): Luxio Gloss Gel; Luxio Base Gel; Luxio Colours

Page 10 of 13

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Effects of acute exposure

Inhalation: Irritating to respiratory system. Inhalation of fumes may result in metal fume fever, a flu-like illness. Symptoms of metal fume fever may include fever, fatigue, vomiting, muscle aches and shortness of breath.

Skin contact: Irritating to skin. Can be absorbed through skin.

Eye contact: Irritating to eyes. May cause burning sensation, redness and tearing (watering).

Ingestion: May cause nausea, abdominal spasms and irritation of the mucous membranes.

Potential Chronic Health Effects

: Prolonged or repeated overexposure could cause adverse liver effects.

Other important hazards : May aggravate pre-existing skin, eye and respiratory problems.

SECTION 12. ECOLOGICAL INFORMATION

SDS Preparation Date (dd/mm/yyyy): 15/12/2011

12.1 Toxicity

No data is available on the product itself. Should not be released into the environment. All Luxio products contain: 2-Hydroxyethyl methacrylate (HEMA); Hydroxypropyl methacrylate (HPMA); Hydroxycyclohexyl phenyl ketone; Trimethylbenzoyl diphenylphosphine oxide.

The acute toxicity of 2-Hydroxyethyl methacrylate (HEMA) is (literature):

Toxicity to fish - LC50/96h/Fathead minnows = 227 mg/L Toxicity to daphnia - EC50/48h/daphnia = 380 mg/L Toxicity to algae - EC50/72h/algae = 380 mg/L

The acute toxicity of Hydroxypropyl methacrylate (HPMA) is (literature): Toxicity to fish - LC50/48h/Leuciscus idus (Golden orfe) = 493 mg/L

Toxicity to daphnia - EC50/48h/daphnia = > 140 mg/L Toxicity to algae - EC50/72h/algae = > 97 mg/L

The acute toxicity of Hydroxycyclohexyl phenyl ketone is (ECHA):

Toxicity to fish - LC50/96h/Brachydanio rerio = mg/L Toxicity to daphnia - EC50/48h/daphnia = 53.9 mg/L Toxicity to algae - EC50/72h/algae = 14.4 mg/L

The acute toxicity of Trimethylbenzoyl diphenylphosphine oxide is (literature);

Toxicity to fish - LC50/96h = 10 - 100 mg/L

Toxicity to daphnia - EC50/48h/daphnia = 10 - 100 mg/L Toxicity to algae - EC50/72h/algae = 10 - 100 mg/L

12.2 Persistence and degradability

The product itself has not been tested.

All Luxio products contain: 2-Hydroxyethyl methacrylate (HEMA); Hydroxypropyl methacrylate (HPMA); Hydroxycyclohexyl phenyl ketone, Trimethylbenzoyl diphenylphosphine oxide.

2-Hydroxyethyl methacrylate (HEMA), Hydroxypropyl methacrylate (HPMA) and Hydroxycyclohexyl phenyl ketone are considered to be readily biodegradable. Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable.

12.3 Bioaccumulation potential : The product itself has not been tested.

All Luxio products contain Trimethylbenzoyl diphenylphosphine oxide. The log Kow value

for Trimethylbenzoyl diphenylphosphine oxide is 3.87.

12.4 Mobility in soil : The product itself has not been tested.



Telephone: 001-604-278-5851 Fax: 001-604-278-5871

UV/LED Luxio Gels

Product code(s): Luxio Gloss Gel; Luxio Base Gel; Luxio Colours

Page 11 of 13

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

12.5 Results of PBT and vPvB assessment

SDS Preparation Date (dd/mm/yyyy): 15/12/2011

: This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

12.6 Other Adverse Environmental effects

: None known.

Water contaminating class (Germany)

: 1 (self classified)

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Handling for Disposal

: Handle in accordance with good industrial hygiene and safety practice. Refer to protective

measures listed in sections 7 and 8.

Methods of Disposal

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste must be classified and labelled prior to recycling or disposal. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	14.1 UN Number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing Group	Label
ADR/RID	None	not regulated	Not regulated	None	\otimes
EU ADR/RID Classification Code	Not applicable	9.			
EU ADR / RID Hazard Identification Number	Not applicable	Đ.			
ADR/RID Additional information	Not classified as and rail.	s dangerous for conveyance in the meaning of the regulation	ons for the transport	of dangerou	is goods by road
ICAO/IATA	None	Not regulated.	Not regulated	None	\otimes
ICAO/IATA Additional information	None.	!			
IMDG	None	Not regulated.	Not regulated	None	\otimes
IMDG Additional information	None.	!			

14.5 Environmental hazards

This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. Although this product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code, this product does contain substances toxic for the environment. See Section 12 for more environmental information.



> Telephone: 001-604-278-5851 Fax: 001-604-278-5871

UV/LED Luxio Gels

Product code(s): Luxio Gloss Gel; Luxio Base Gel; Luxio Colours

SDS Preparation Date (dd/mm/yyyy): 15/12/2011

Page 12 of 13

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

14.6 Special precautions for user

: Keep away from heat and sources of ignition. Do not freeze. Appropriate advice on safety must accompany the package.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- 1. Substances presenting a health or environmental hazard within the meaning of Directive 67/548/EEC.
 - Classification according to European directive on classification of hazardous preparations 1999/45/EC.
 - 3. This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
 - 4. In accordance with the legislation of the United Kingdom.
 - 5. German legislation on water endangering substances VwVwS (see Section 12).

15.2 Chemical safety assessment

: A chemical safety assessment has not been carried out by the Manufacturer of this product.

SECTION 16. OTHER INFORMATION

Legend

: ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road

CAS: Chemical Abstract Services

EC: European Community

EEC: European Economic Community EHC: Environmental Health Criteria

EINECS: European Inventory of Existing Commercial chemical Substances

EN: European Standard EU: European Union

HSDB: Hazardous Substances Data Bank

IATA: International Air Transport Association

IBC: Intermediate Bulk Container ICAO: International Civil Aviation Organisation IMDG: International Maritime Dangerous Goods

IUCLID: International Uniform Chemical Information Database

LC: Lethal Concentration

LD: Lethal Dose

OEL: National occupational exposure limits

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

RTECS: Registry of Toxic Effects of Chemical Substances

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit TWA: Time Weighted Average WEL: Workplace Exposure Limit

Information Source

- 1. Material Safety Data Sheet from manufacturer.
- Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2011 (Chempendium, RTECs, HSDB, INCHEM).
- European Chemicals Bureau, Existing Chemicals Work Area, EINECS Information System. 2011.
- 4. European Chemicals Agency, Classification Legislation, 2011.

Preparation Date (dd/mm/yyyy)

: 15/12/2011



Telephone: 001-604-278-5851 Fax: 001-604-278-5871

UV/LED Luxio Gels Product code(s): Luxio Gloss Gel; Luxio Base Gel; Luxio Colours

SDS Preparation Date (dd/mm/yyyy): 15/12/2011 Page 13 of 13

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

R-Phrases (Full text) : R36 - Irritating to eyes.

R36/38 - Irritating to eyes and skin.

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R61 - May cause harm to the unborn child. R62 - Possible risk of impaired fertility.

Refer to section 2 for additional R phrases not listed here.

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

This product is subject to the EEC Directive for Cosmetics, 76/768/EEC, and its National implementations in the European Union. These products may also contain the following chemicals:

Bis(Glyceryl dimethacrylated) pyromellitate - CAS # 148019-46-9

Ultramarines (CI 77007) - CAS # 57455-37-5 Manganese Violet (CI 77742) - CAS # 10101-66-3

Red 7 (CI 15850) - CAS # 5281-04-9 Tin Oxide - CAS # 18282-10-5 Red 6 (CI 15850) - CAS # 5858-81-1

Yellow 5 Lake (CI 19140) - CAS # 12225-21-7 Carmine (CI 75470) - CAS # 1390-65-4 Iron Oxides (CI 77499) - CAS # 12227-89-3 Red 33 Lake (CI 17200) - CAS # 3567-66-6 Blue 1 Lake (CI 42090) - CAS # 15792-67-3 Iron Oxides (CI 77492) - CAS # 51274-00-1

Ferric Ammonium Ferrocyanide (CI 77510) - CAS # 25869-00-5

Calcium Aluminum Borosilicate - CAS # 65997-17-3 Red 27 Lake (CI 45410) - CAS # 13473-26-2

Prepared for:

Haigh Industries Inc.

#5 - 8118 North Fraser Way

Burnaby, British Columbia, Canada, V5J 0E5

Telephone: 001-604-278-5851 http://www.haighindustries.com Direct all enquiries to Haigh Industries.

Prepared by:

ICC The Compliance Center Inc.

http://www.thecompliancecenter.com





DISCLAIMER

This Safety Data Sheet was prepared by Haigh Industries Inc. using information provided by Parker Hannifin Corporation and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Haigh Industries Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Haigh Industries Inc.